

# ASTM A500 / A252 PIPE



## ASTM A500 / A252 Specifically Designed for your Construction and Structural Application Needs.

Northwest Pipe Company's ASTM A500 / A252 pipe is manufactured to the highest quality standards at one of Northwest Pipe Company's three strategically-located facilities. Our ASTM A500 / A252 pipe is produced with carbon steel using the ERW (Electric Resistance Welded) process. Our pipe is produced on a regular rolling schedule, coating ready and suitable for threading, grooving and welding.

**Specifications / Certifications:** ASTM A500 Grades A, B & C; A252 Type 2, 3

**Size Range:** 3.5" – 16"

**Wall Range:** 0.125" – 0.375"

**Lengths:** 20' – 60'

**Ends:** Plain end, beveled, square cut or per customer specification

**Coatings:** Bare or coated

**Shipments:** Via rail or truck

**American Made:** Available throughout North America

**Sustainability:** The steel pipe products we manufacture at Northwest Pipe Company are innately sustainable. Our products are comprised of raw and recycled content and at the end of its natural life, our pipe can be reclaimed for recycling into new steel products.

Sustainable manufacturing is firmly established in Northwest Pipe Company's corporate strategy – reducing consumption of resources, increasing resource efficiency and durability of our products are the foundation of a sustainable business. Northwest Pipe Company's ASTM A500 / A252 products are manufactured to meet or exceed the ASTM specifications for durability. Extensive research and ongoing quality control testing ensures that these products provide the intended service.

Northwest Pipe Company is a recognized industry leader of highly engineered welded steel pipe and tube products. We've been building on our reputation for manufacturing quality and engineering excellence for over 100 years. As one of the oldest and most established steel pipe manufacturers in the United States, Northwest Pipe Company continues to set the standard for quality steel pipe and tube products manufactured to the most stringent specifications.

Our business serves a wide-range of markets and our solution-based pipe and tube products are a perfect fit for applications including:

Structural  
Industrial  
Oil & Gas  
Energy  
Fire Protection  
Low Pressure  
Agriculture



Size (in.)	ASTM NPS	OD (in.)	Wall Thickness (in.)	Class / Schedule	Weight (lbs./ft.)
3 1/2	3	3.500	0.216	STD/40	7.58
			0.156		7.24
4 1/2	4	4.500	0.188		8.67
			0.237	STD/40	10.80
			0.250		11.36
			0.281		12.67
			0.312		13.97
			0.337	XS/80	15.00
			0.188		10.80
5 9/16	5	5.563	0.219		12.51
			0.125		8.69
6 5/8	6	6.625	0.156		10.79
			0.188		12.94
			0.219		15.00
			0.250		17.04
			0.280	STD/40	18.99
			0.312		21.06
			0.156		11.41
7	7	7.000	0.188		13.69
			0.215		15.59
			0.231		16.72
			0.156		14.12
8 5/8	8	8.625	0.188		16.96
			0.203		18.28
			0.219		19.68
			0.250	20	22.38
			0.277	30	24.72
			0.312		28.39
			0.322	STD/40	28.58
			0.156		17.67
10 3/4	10	10.750	0.188		21.23
			0.203		22.89
			0.219		24.65
			0.250	20	28.06
			0.279		31.23
			0.365	STD/40	40.52
			0.172		23.13
12 3/4	12	12.750	0.188		25.25
			0.203		27.23
			0.219		29.34
			0.250	20	33.41
			0.281		37.46
			0.312		41.48
			0.375	STD	49.61
			0.188		27.76
14	14	14.000	0.203		29.94
			0.210		30.96
			0.219		32.26
			0.250	10	36.75
			0.281		41.21
			0.312	20	45.65
			0.375	STD/30	54.62
16	16	16.000	0.188		31.78
			0.203		34.28
			0.210		35.45
			0.219		36.95
			0.250	10	42.09
			0.281		47.22
			0.312	20	52.32
0.375	STD/30	62.64			

Don't see what you need?

Give us a call for customized solutions to meet your specific application requirements.